



Benefits:

- V4A stainless steel AISI 316L
- Consequent hygienic design
- IP69K protection class
- Compact size
- Flexible camera positioning
- High chemical resistance
- Vibration-proof mounting
- Camera mount included
- Good heat dissipation



Technical Details:

Max. Camera Size (w x h)	62 x 62mm (depending on edge radius)
Max. Lens Diameter	85mm
Inner Length (Size, Clamping Length)	138mm (S, 84mm) 188mm (M, 134mm) 258mm (L, 204mm)
Enclosure Dimensions (D x L, without gland and 100mm handle)	93 x 155mm (S) 93 x 205mm (M) 93 x 275mm (L)
Window Aperture	66mm
Standard Window Germanium Acrylic, uncoated, FDA Acryl, double sided AR	BK7, double sided AR Order No.: 20.000.018* Order No.: 20.000.003* Order No.: 20.000.033*
Window Seal	EPDM
Protection Class (with hygiene cable gland)	IP69K

Weight (without camera mount, varies depending on exit)	Ca. 1900g (S) Ca. 2300g (M) Ca. 3000g (L)
Enclosure Material	Electro polished V4A stainless steel AISI 316L
Enclosure Seals	EPDM
Sealing Area of the Hygiene Cable Gland	M25 (side): 15-18mm M32: 20-25mm
Cable Gland Seal	Silicone




The mount guarantees good heat dissipation

*Please ask for the product number of the spare part




Cable Exit and Options



- Order Number: 2X.X71.180 - Shark M, IP69K
- BK7 window
 - M32 hygiene cable gland rear
 - M25 blind plug sideways

- Options:
- 80.007.002 hygienic tube 25x19mm, price per meter
 - 80.005.014 surcharge for M25 hygiene blind plug sideways




- Order Number: 2X.X72.180 - Shark M, IP69K
- BK7 window
 - Closed rear wall
 - M25 hygiene cable gland rear

- Options:
- 80.007.003 hygienic tube 26.5x21mm, price per meter
 - 80.005.014 surcharge for M25 hygiene blind plug sideways




- Order Number: 2X.X80.180 - Shark M, IP69K
- BK7 window
 - Closed rear wall
 - M25 hygiene cable gland sideways

- Options:
- 80.007.001 hygienic tube 18x13mm, price per meter



- Order Number: 2X.X81.180 - Shark M, IP69K
- BK7 window
 - Closed rear wall
 - M32 hygiene cable gland sideways

- Options:
- 80.007.002 hygienic tube 25x19mm, price per meter



- Order Number: 2X.X82.180 - Shark M, IP66+IP67
- BK7 window
 - Closed rear wall
 - M25 stainless steel cable gland sideways



Using the Hygienic Building Kit you can install cameras, lasers and cables under IP69K protection



Order Numbers (please specify camera type):

ID	Camera Type	Cable Exit	Cable Gland	Length
2	X.X	rear: 7 sideways: 8	M25 hygiene IP69K: 0 (side exit only) M32 hygiene IP69K: 1 M25 standard IP66/67: 2 (side exit only) M25 hygiene IP69K: 2 (rear exit only)	S: 130 M: 180 L: 250

Example: 20.380.180 - Shark, M25 hygiene cable gland sideways, size M


Accessories:

Product	Image	Order No.	Product	Image	Order No..	Product	Image	Order No..
M25 Gland Hygiene		80.005.003	M32 Gland Hygiene		80.005.004	M40 Gland Hygiene		80.005.005
M25 Adapt. M32 Adapt.		80.005.001 80.005.002	M25 Hyg. Blind Plug		80.005.010	M25 Nut M32 Nut M40 Nut		80.005.006 80.005.007 80.005.008
18x13 PUR Tube		80.007.001	25x19 PUR Tube		80.007.002	26.5x21 PU Tube		80.007.003
Position Ring		20.020.002	30mm Extension		80.020.030	Monting Tool		80.006.101
90° Tube Connector		80.006.002	Mount Standard		80.006.006	Hygienic Rear Mount		80.006.000
90° Hygienic Connector		80.006.001	Hygienic Mount Foot		80.006.004	Hygienic T-Piece		80.006.007







Size S



Front Lid



Size M



Options for Side Exit




M25 Hygiene
with Side Exit Adapter

15 - 18mm
sealing range

PUR Tube 18x13

max. 13mm
connector



M32 Hygiene
with M25 Adapter

20 - 25mm
sealing range

PUR Tube 25x19

max. 19mm
connector



M25 Blind Plug



M25

max. 16mm connector



M25 Extended

max. 20mm connector
several cables

Size L



Options for Rear Exit




M32 Hygiene

20 - 25mm
sealing range

PUR Tube 25x19

max. 19mm
connector



M25 Hygiene

max. 18.8mm
connector

